





GOLD METAL CENTER CO., LTD.
บริษัท โกลด์เมทัลเซ็นเตอร์ จำกัด



PIPE
QUALITY TIS 170 : 1990

Nominal (mm)	Outside Ciameter	Thickness	Weight		Sectional Area cm ²
	d (mm)	t (mm)	kg/m	kg/6m	
15	21.7	2.3	0.972	6.48	1.380
20	27.2	2.3	1.40	8.40	1.780
25	34.0	2.3	1.81	10.86	2.300
32	42.7	2.3	2.28	13.68	2.900
40	48.6	2.3	2.62	15.72	3.330
		3.2	3.57	21.42	4.540
50	60.5	3.2	4.51	27.06	5.740
		4.0	5.57	33.42	7.100
65	76.3	3.2	5.76	34.56	7.340
		4.0	7.13	42.78	9.090
80	89.1	3.2	6.78	40.68	8.640
		4.0	8.38	50.28	10.690
90	101.6	3.2	7.77	46.62	9.890
		4.0	9.63	57.78	12.26
100	114.3	3.2	8.77	52.62	11.170
		4.5	12.19	73.14	15.520
		6.0	16.02	96.12	20.400
125	139.8	4.5	15.00	90.00	19.13
		6.0	19.80	118.80	25.22
150	165.2	4.5	17.86	107.16	22.750
		6.0	23.60	141.60	30.030